DOHMEYER

CRYOGENIC • FREEZING • PRECISION



Cryo Tunnel

The Dohmeyer top lifting tunnel provides flexibility and efficiency for your production process. It has been designed with class leading hygiene features, there are no seals, the top lifts along the complete length giving easy access for cleaning and all internal surfaces slope towards drainage points.







Easy to operate



Improved efficiency



Reduced freezing time



Easy to clean



WIDTH	28"	50"	62"
USEFUL BELT WIDTH [INCH]	25	47	59
TOTAL WIDTH [INCH]	66	88	100

Capacity up to 3300lbs


Min. temperature

-184°F

FREEZING LENGTH: 236", 354", 472'



TOTAL LENGTH: FREEZING LENGTH + 54"



Close controlled injection of the chosen cryogen

Matched with efficient gas flow management reducing wastage of cold energy



Isothermal design and heat transfer efficiency increases capacity by 15%



Bottom exhaust

Bottom exhaust draws cold gas through product freezing zone increasing efficiency



Vacuum insulated manifold

Contains integrated safety valve within pipeline providing pressure relief back to the storage tank



Redundant safety loop

Secondary safety system provides full back up to primary safety circuit



Boundary and deviation measurement

Additional temperature measurement to supplement safety and process controls



No seal

The tunnel seals without the need for a traditional gasket, removing the potential for bacteriological contamination



Hygienic eye-link belt (optional)

Easily cleanable belt with an open structure avoids trapped product



Automatic belt cleaning

Integral belt cleaning system fitted within the freezing zone



Multiple sizes

Full range of sizes available in width and length



Wide residence time range

Servo driven gearbox gives a huge range of belt speeds meaning dwell time within freezing zone can be adjusted from 30 sec to 3 h

DOHMEYER

CRYOGENIC • FREEZING • PRECISION

Dohmeyer is a leading global manufacturer of cryogenic refrigeration systems for the food processing, pharmaceutical, aeronautic, plastics and steel industries.



Support:

Dohmeyer are available 24/7 giving access to our specialist support teams providing help and advice to all our customers.



Contact:

USA

+1 (833)364-6393



WWW.DOHMEYER.COM

